

# **DIGITAL CAMERA WITH FUNCTION OF PEN**

## **FIELD OF THE INVENTION**

5        The present invention relates to a digital camera with a function of a pen, especially, which is made by a modularized way so as to combine a digital camera and a pen.

## **BACKGROUND OF THE INVENTION**

10        Digital cameras are more and more popular since the data captured by the digital camera can be inputted to a computer for displaying or processing to present various effects which can not achieved by the conventional cameras. However, in general, the record of a real scenery includes images and something not presenting by image but must be record  
15        by pen. For example, a reporter general records an event by capturing images and writing something thereabout. If the reporter is desired to record an event, it must take a digital camera and an extra pen. This is very inconvenient. This is not encountered by reporters, many people using digital camera has such an experience. Therefore, there is an eager demand  
20        for a digital camera which is combined with a pen so that users may use the two functions conveniently.

## **SUMMARY OF THE INVENTION**

25        Accordingly, the primary object of the present invention is to provide

a digital camera with a function of a pen, wherein the user may record an image real time by a photograph or a text by pen.

Another object of the present invention is to provide a digital camera with a function of a pen, wherein a child may skill the operation of a digital camera so that the parents are unnecessary to buy a high cost product.

A further object of the present invention is to provide a digital camera with a function of a pen which can be carried conveniently and easily.

A yet object of the present invention is to provide a digital camera with a function of a pen, wherein to make a digital camera with a function of a pen to be versatile, a modularized way is used in the present invention. At first, each component is made individually, and then all the compoenets are assembled.

To achieve above objects, the present invention provides a digital camera having functions of a digital camera and a pen, wherein an embedding memory is used to record an image, and then an I / O port is used to transfer the image to a receiving end; the digital camera with a function of a pen comprises the following components. A casing module is formed by a front casing and a rear casing and having a photo capture frame. A window has a transparent plate for aiming the object to be captured. An LCD display screen serves for displaying the residue sheets; an I / O port position; a pen cover being at a lower end of the casing and having tenons at an inner periphery for buckling the pen not to drop out, a key set and a buckling ring. A circuit module has a microprocessor, a memory, a counting circuit, a power supply circuit, and an output port for

transferring photograph data in a memory to a receiving end. A photo capture module having a photo lens. By the circuit module and photo capture module, a compact portable digital camera with a function of a pen is formed, it can be hung on the neck; the digital camera is used to record an image; therefore, the user can record data by photographs and writing by a pen.

The various objects and advantages of the present invention will be more readily understood from the following detailed description when read in conjunction with the appended drawing.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1A is a front view of the digital camera with a function of a pen of the present invention.

Fig. 1B is a rear view of the digital camera with a function of a pen in the present invention.

Fig. 2 is a block diagram of the digital camera with a function of a pen in the present invention.

Fig. 3 is a block diagram showing the structure and manufacturing of the digital camera with a function of a pen in the present invention.

Fig. 4 shows another shape of the digital camera with a function of a pen in the present invention.

Fig. 5 is a schematic view showing the wearing of the digital camera with a function of a pen in the present invention.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Referring to Fig. 1A, the front view of the digital camera with a function of a pen of the present invention is illustrated. The digital camera with a function of a pen includes a digital camera 11 and a pen 12. The digital camera 11 has a window 111, a photo capture frame 112, a key set 113, etc. The uppermost thereof has a buckling ring 114 for being passed by a rope or a chain. The whole digital camera with a function of a pen 1 is worn on the neck for being carried.

Referring to Figs. 1B, a rear view of the digital camera with a function of a pen is illustrated. It is illustrated that the digital camera with a function of a pen includes a window 111, as the window 111 in Fig. 1A, it has a transparent plate for viewing the image to be captured, a small size LCD display screen 115 for displaying the residue films; an output ports 116 in general being an USB output port.

A modularized way is to manufacture the present invention quickly and easily. Each component is manufactured singly and then is assembled so as to finish the digital camera with a function of a pen of the present invention. With reference to Fig. 2, a block diagram is illustrated. The digital camera with a function of a pen 1 is formed by a casing module 2, a circuit module 3, a photo capture module 4, etc. Referring to Figs. 1A and 2B again, the casing module 2 is formed by a front casing 21 and a rear casing 22 and has a photo capture frame 112. Thereby, as the photo capture module 4 is installed into the casing, then the image is captured through this photo capture frame 112. The window 111 has a transparent plate for

viewing the object to be captured. The pen cover 23 is at the lower end of the casing and has tenons at the inner periphery for buckling the pen 12 not to drop out. A buffer plastic pad 231 is used to assist in rubbing with other object. A key set 113 and a bucking ring 114 are included. The circuit module 3 includes a microprocessor, a memory, a counting circuit, a power supply circuit, and an output port. The power supply can be replaced by battery. The photo capture module 4 includes a photo lens. The circuit module 3 and the photo capture module 4 are made at the same substrate and are encased by silicon. Only, the lens, LCD display screen, I / O ports, and control portion for controlling the key set are exposed out.

Referring to Fig. 3, the step of manufacturing the digital camera with a function of a pen of the present invention is illustrated, which can be made rapidly, and correctly with a lower cost.

Step 1: Making the circuit module and photo capture module at the same substrate.

Step 2: Fixing the circuit module and photo capture module by silicon so that a circuit substrate matching the form of the casing, lens, LCD display screen, I / O ports, and control portion for controlling the key set.

Step 3: Encasing the circuit substrate closing by silicon, and matching the exposing portions to the respective portions of the casing; for example, the lens is correspondent to the aperture frame of the casing, and the control portion is correspondent to the key set 113.

Step 4: Covering a buffering rubber pad to the pen cover and key set for increasing friction force.

Step 5: Inserting a pen into a pen cover.



The digital camera with a function of a pen of the present invention has the following advantages:

1. The present invention can be made to have different structures and appearances to match the requirement of user. Moreover, the present invention is compact and convenient.

2. The event being occurring can be recorded real time.

The present invention are thus described, it will be obvious that the same may be varied in many ways. Such variations are not to be regarded as a departure from the spirit and scope of the present invention, and all such modifications as would be obvious to one skilled in the art are intended to be included within the scope of the following claims.